


FLOW RANGE: 40 - 75 GPM

OUTLET SIZE: 2" NPT

NOMINAL DIA. 4"



Specifications subject to change without notice.

* Also available with 6" motor.

Performance conforms to ISO 2548 Annex B @ 5 ft. minimum submergence.



DIMENSIONS & WEIGHTS

Model No.	HP	Motor Size		Discharge Size	Dimensions										Approximate Shipping Wt.	
		In.	CM		A		B		C		D		E		Lbs.	Kg
60S20-4	2	4	10	2" NPT	32.6	82.8	15.1	38.4	17.5	44.5	3.8	9.7	3.9	9.9	39	17.7
60S30-5	3	4	10	2" NPT	40.7	103.4	20.6	52.3	20.1	51.1	3.8	9.7	3.9	9.9	64	29.0
60S50-7	5	4	10	2" NPT	48.8	124.0	23.6	59.9	25.2	64.0	3.8	9.7	3.9	9.9	75	34.0
60S50-9	5	4	10	2" NPT	53.9	136.9	23.6	59.9	30.3	77.0	3.8	9.7	3.9	9.9	80	36.3
60S75-13*	7½	4	10	2" NPT	70.1	178.1	29.6	75.2	40.5	102.9	3.8	9.7	3.9	9.9	105	47.6
60S100-18*	10	4	10	2" NPT	97.3	247.1	43.9	111.5	53.4	135.6	3.8	9.7	3.9	9.9	160	72.6

NOTES: All models suitable for use in 4" (10 cm) wells, unless otherwise noted.

Weights include pump end with motor in lbs.

*Also available with 6" motor.


MATERIALS OF CONSTRUCTION

COMPONENT	CYLINDRICAL SHAFT (4-18 Stgs.)
Check Valve Housing	304 Stainless Steel
Check Valve	304 Stainless Steel
Diffuser Chamber	304 Stainless Steel
Impeller	304 Stainless Steel
Suction Interconnector	304 Stainless Steel
Inlet Screen	304 Stainless Steel
Pump Shaft	431 Stainless Steel
Strapes	304 Stainless Steel
Cable Guard	304 Stainless Steel
Priming Inducer	316 Stainless Steel
Coupling	329/420/431 Stainless Steel**
Check Valve Seat	NBR/316 Stainless Steel
Top Bearing	PTFE/316 Stainless Steel
Impeller Seal Ring	PTFE/316 Stainless Steel
Intermediate Bearings	PTFE/316 Stainless Steel
Shaft Washer	LCP (Vectra®)
Split Cone	304 Stainless Steel
Split Cone Nut	304 Stainless Steel
Coupling Key	Not Required**

NOTES: Specifications are subject to change without notice.

Vectra® is a registered trademark of Hoechst Calanese Corporation.

** If using 6" non-standard motors, refer to 329/416 Stainless Steel for coupling and 302/304 for the coupling key.



Integrated Environmental Technologies, Inc.
 124 Edgewood Drive, Washington, PA 15301
 (800) 270-6052 | FAX: (724) 261-5330
 sales@ietechinc.com | www.ietechinc.com